

Certificate of Analysis

Company: Sunset Lake Enterprises

Sample ID: 1200mg Tincture w/ melatonin

25 Brewer Pkwy

Lot: NA

Report Date: 9/29/2021

South Burlington, VT 05403

Matrix: Oil

Date Analyzed: 9/23/2021

Customer ID: 201019-0

Date Sampled: NA

Analyst: SCG

Grower License #: 50_2021_00000131

Date Received: 9/21/2021

Report ID: C210921AX

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	0.94	0.09
CBDA	0.0008	0.13	0.01
CBGA	0.0008	<LOQ	<LOQ
CBG	0.0019	1.73	0.17
CBD	0.0019	43.04	4.30
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	1.58	0.16
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	<LOQ	<LOQ
CBC	0.0024	1.44	0.14
Total THC		1.58	0.16
Total CBD		43.15	4.32
Total Cannabinoids		48.86	4.89

0.16%
Total THC

4.32%
Total CBD

4.89%
Total Cannabinoids

0.16%
Δ9-THC

N/A
Percent Moisture

1 : 27.3
THC : CBD Ratio

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:


Total THC = (THCA x 0.877) + Δ9-THC Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.

Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
 All other cannabinoid MU values are available upon request.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: *Luke E. M.*
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)