

Certificate of Analysis

Company: Sunset Lake CBD
 25 Brewer Parkway
 South Burlington, VT 05403

Sample ID: 6000mg Flavored Tincture

Lot: N/A

Report Date: 12/5/2022

Matrix: Oil

Date Analyzed: 12/2/2022

Customer ID: 201019-0

Date Sampled: N/A

Analyst: 011

Grower License #: #50_2022_00000526

Date Received: 11/7/2022

Report ID: C221107CT

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	0.59	0.06
CBDA	0.0008	<LOQ	<LOQ
CBGA	0.0008	<LOQ	<LOQ
CBG	0.0019	1.58	0.16
CBD	0.0019	112.11	11.21
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	0.28	0.03
Δ9-THC	0.0020	2.30	0.23
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	<LOQ	<LOQ
CBC	0.0024	<LOQ	<LOQ
Total THC		2.30	0.23
Total CBD		112.11	11.21
Total Cannabinoids		116.85	11.69

0.23%
Total THC

11.21%
Total CBD

11.69%
Total Cannabinoids

0.23%
Δ9-THC

N/A
Percent Moisture

1 : 48.6
THC : CBD Ratio

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
 Total THC = (THCA x 0.877) + Δ9-THC Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
 Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: Luke E. M.
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)